Nordic Ecolabelling for

Cleaning agents for use in the food industry



Version 3.0 • 29 October 2025 – 31 August 2030



Contents

1 us			industryformunication guideline for Nordic Swan Ecolabel cleaning a	•
2	WI	nat can	carry the Nordic Swan Ecolabel?	4
3	Но	w to re	ead this criteria document	5
4	Re	quiren	nents	5
	4.1	Defin	ition of ingoing substances and impurities	5
	4.2	Gene	ral requirement area	7
	4.3	Biode	egradability and aquatic toxicity	.14
	4.4	Perfo	rmance	.15
	4.5	Packa	aging and user information	.16
	4.6	Licen	ce maintenance	.17
5	Cr	iteria v	ersion history	.18
6	Ho	w to a	pply and regulations for the Nordic Ecolabelling	.18
ΑĮ	opendi	x 1	Declaration from the manufacturer of the cleaning agent for use in industry	the food
ΑĮ	opendi	x 2	Declaration from the manufacturer/supplier of the raw material to the cleaning agent for use in the food industry	ne
ΑĮ	opendi	x 3	Analysis and test laboratories	
ΑĮ	opendi	x 4	User test form	
ΑĮ	opendi	x 5	Packaging	

070 Cleaning agents for use in the food industry, version 3.0, 29 October 2025

Contact information

In 1989, the Nordic Council of Ministers decided to introduce a voluntary official ecolabel, the Nordic Swan Ecolabel. These organisations/companies operate the Nordic Ecolabelling system on behalf of their own country's government. For more information, see the websites:

Denmark

Ecolabelling Denmark

www.svanemaerket.dk

Finland

Ecolabelling Finland

www.joutsenmerkki.fi

Iceland

Ecolabelling Iceland

www.svanurinn.is

Norway

Ecolabelling Norway

www.svanemerket.no

This document may only be copied in its entirety and without any type of change. It may be quoted from provided that Nordic Ecolabelling is stated as the source.

Sweden

Ecolabelling Sweden

www.svanen.se

1 Environmental communication guideline for Nordic Swan Ecolabel cleaning agents for use in the food industry

Nordic Swan Ecolabel cleaning agents for use in the food industry meet ambitious environmental requirements from a holistic life cycle perspective. This means that they are amongst the environmentally best in their category.

Nordic Swan Ecolabel cleaning agents for use in the food industry:

- Meet strict environmental requirements for chemicals, focusing on ecotoxicity, bioaccumulation and degradability.
- Meet strict health requirements for chemicals, including a ban on adding substances classified to cause cancer, toxic to reproduction or to potentially damage genetic material. Also identified or potential endocrine disruptors on upto-date lists from EU and national authorities or by classification are banned.
- Are efficacy tested.

What can carry the Nordic Swan Ecolabel?

Product group definition

Professional cleaning agents intended for cleaning production areas (such as surfaces, walls, and floors) and production equipment (including piping systems and other machinery) in the food industry, fisheries, aquaculture, and large-scale kitchens can be Nordic Swan Ecolabelled.

The food industry includes the following activities:

- Food production
- Beverage production
- Processing and preserving of meat and meat products, including livestock slaughtering
- Processing and preserving of fish, crustaceans, and molluscan shellfish
- Processing and preserving of fruits, berries, and vegetables
- · Production of vegetable and animal oils and fats
- Production of dairy products and ice cream
- Production of grain mill products and starches
- Production of bakery and flour products
- · Other food production activities
- Production of prepared animal feeds

Fisheries and aquaculture include the following activities:

- Marine fisheries
- Freshwater fisheries
- Marine aquaculture
- Freshwater aquaculture

Large-scale kitchens are defined as facilities where food is prepared over extended periods - typically throughout a full workday or across multiple shifts - such as large kitchens in hotels, restaurants, and hospitals.

The product group includes both automatically and manually dosed products. Nordic Swan Ecolabelled cleaning agents for use in the food industry may only be marketed to professional users.

The criteria do not cover band lubricants, products containing microorganisms, or twocomponent products.

Furthermore, disinfectant products are excluded from carrying the Nordic Swan Ecolabel due to restrictions imposed by the Biocidal Products Regulation (EU) 528/2012. Nordic Swan Ecolabelled products within this product group must not claim biocidal, disinfectant, or antimicrobial effects.

3 How to read this criteria document

Each requirement is marked with the letter O (obligatory requirement) and a number. All requirements must be fulfilled to be awarded a licence.

The text describes how the applicant shall demonstrate fulfilment of each requirement. There are also icons in the text to make this clearer. This icon is:

₹ Upload

All information submitted to Nordic Ecolabelling is treated confidentially. Suppliers can send documentation directly to Nordic Ecolabelling, and this will also be treated confidentially.

4 Requirements

4.1 Definition of ingoing substances and impurities

The requirements in the criteria document and accompanying appendices apply to all ingoing substances in the Nordic Swan Ecolabelled product. Impurities are not regarded as ingoing substances and are exempt from the requirements. Ingoing substances and impurities are defined below, unless stated otherwise in the requirements.

- Ingoing substances: All substances* in the product including additives (e.g. preservatives and stabilisers) from the raw materials. Substances released from ingoing substances (e.g. biocidal active substances generated by preservatives, such as formaldehyde) are also regarded as ingoing substances.
 - * N.B. the difference from the definition of substances in the REACH Regulation (EC) No 1907/2006. Whereas a REACH substance encompasses a chemical element or compound as well as its stabilising additives and process impurities, a substance here refers to each of the constituents separately. The constituents of a UVCB substance (Unknown or Variable composition, Complex reaction

products or of Biological materials) are also regarded separately, and all known constituents shall be regarded.

Impurities: Trace levels of pollutants, contaminants and residues from production, incl. production of raw materials that remain in the product in concentrations ≤ 100 ppm (≤ 0.0100 w%). For formaldehyde other than as a biocidal active substance and for arylamine, the corresponding concentration is ≤ 50 ppm (≤ 0.0050 w%).

Examples of impurities: Background environmental pollutants from feedstock, as well as contaminants and residues from production such as reactants (incl. monomers), reagents, catalysts, by-products, scavengers, detergents for production equipment, carry-over from other or previous production lines.

• Impurities in the raw materials in concentrations ≥ 10 000 ppm (≥ 1.0000 w%) are always regarded as ingoing substances, regardless of the concentration in the Nordic Swan Ecolabelled product.

Additional information concerning definitions of ingoing substances and impurities

Limit values: The limit for excluded ingoing substances is 0 ppm (unless otherwise stated), while there's a specific defined limit for impurities. The impurity limit applies separately to each individual excluded substance, from each individual raw material. Concentrations of different impurities with the same excluded classification or substance group characteristics shall not be summed up to meet the impurity limit in the labelled product. Also, concentrations of an individual impurity, originating from different raw materials, shall not be summed.

UVCB substances: UVCB substances (Unknown or Variable composition, Complex reaction products or of Biological materials) have a composition of constituents that is not completely known or is variable from time to time. For substances registered under REACH as UVCBs, all constituents that are known must be declared in the Nordic Swan Ecolabel raw material appendix based on the best available knowledge. All constituents are considered individually and are subject to the chemical requirements, including for instance those on excluded substances and excluded classifications.

However, in the requirements concerning environmentally hazardous substances, aNBO, anNBO and CDV, the UVCB substance can be considered as one ingoing substance and placed in a single row in the calculation sheet. If the UVCB substance can be assigned a DID-number, the data on the DID-list must be used.

4.2 General requirement area

O1 Description of the product

The applicant must provide the following information about the product.

- Description of the product and its area of use.
- A complete formulation for the product. The formulation must, if possible, include for each ingoing substance:
 - Trade name
 - o Chemical name
 - Amount (both with and without solvents, e.g., water)
 - o CAS No. and/or EC number
 - DID number for substances that can be placed in the DID-list 2023 or later versions*
 - o Function

If a raw material consists of several substances, data for all ingoing substances is to be stated in the formulation.

- * DID-list: "Detergents Ingredients Database" list, see Appendix 3 for a detailed description.
- The Label and description of the product and its area of use.
- Appendix 1 or equivalent declaration completed and signed.
- Tomplete formulation in line with the requirement. Nordic Ecolabelling's calculation sheet for Cleaning agents for use in the food industry can be used. It is available from Nordic Ecolabelling's websites.
- Safety data sheet for each raw material in line with prevailing legislation in the country of application, e.g., Annex II to REACH (Regulation 1907/2006/E2EC).

O2 Classification of the product

The product must not be classified with the hazard codes listed in the table below, in accordance with CLP Regulation 1272/2008.

Table 1 Classification of the product

Hazard class	Hazard class and category	Hazard code
Carcinogenicity*	Carc. 1A or 1B	H350
	Carc. 2	H351
Germ cell mutagenicity*	Muta. 1A or 1B	H340
	Muta. 2	H341
Reproductive toxicity*	Repr. 1A or 1B	H360
	Repr. 2	H361
	Lact.	H362
Respiratory or skin sensitisation	Resp. Sens. 1, 1A or 1B	H334
	Skin Sens. 1, 1A or 1B	H317
		EUH208: "Contains (name of sensitising substance). May cause an allergic reaction." **

		T
Acute toxicity	Acute Tox. 1 or 2	H300
	Acute Tox. 1 or 2	H310
	Acute Tox. 1 or 2	H330
	Acute Tox. 3	H301
	Acute Tox. 3	H311
	Acute Tox. 3	H331
	Acute Tox. 4	H302***
	Acute Tox. 4	H312***
	Acute Tox. 4	H332***
Hazardous to aquatic environment	Aquatic Acute 1	H400
	Aquatic Chronic 1	H410
	Aquatic Chronic 2	H411
	Aquatic Chronic 3	H412
	Aquatic Chronic 4	H413
Hazardous to the ozone layer	Ozone	H420
Specific target organ toxicity, single or	STOT SE 1	H370
repeated exposure	STOT SE 2	H371
	STOT RE 1	H372
	STOT RE 2	H373
Aspiration hazard	Asp. Tox. 1	H304
Flammable aerosols	Flam. Aer. 1, 2 or 3	H222
		H223
		H229
Flammable liquids	Flam. Liq. 1, 2 or 3	H224
		H225
		H226
Endocrine disruption for human health	ED HH 1	EUH380
·	ED HH 2	EUH381
Endocrine disruption for the environment	ED ENV 1	EUH430
	ED ENV 2	EUH431
Persistent, Bioaccumulative and Toxic	PBT	EUH440
properties	vPvB	EUH441
Very Persistent, Very Bioaccumulative properties		
Persistent, Mobile, and Toxic properties	PMT	EUH450

^{*} Including all combinations of stated exposure routes and stated specific effect. For example, H350 also covers classification H350i.

- *** Products may be classified as H302, H312, and/or H332 if the packaging is designed to prevent direct contact with the product.
- Safety data sheet for the product in line with prevailing European legislation (Annex II to REACH Regulation, 1907/2006/EC).
- 7 Appendix 1 or equivalent declaration completed and signed.
- The product is labelled with EUH208: Formulation specifying the enzyme content of the product.

^{**} Products labelled with EUH208 ("Contains <name of sensitising substance>. May produce an allergic reaction.") can only be Nordic Swan Ecolabelled if the sensitising substance is an enzyme, the enzyme content does not exceed 1% of the product, and the product is handled and used in closed systems (CIP).

- If the product is labelled with EUH208: Copy of label or accompanying product sheet demonstrating that the product is handled and used exclusively in closed systems (CIP).
- If the product is classified as H302, H312 and/or H332: A description of the packaging design demonstrating that the user does not come into contact with the product.

O3 Classification of ingoing substances

Ingoing substances must not be classified with the hazard codes listed in the table below, in accordance with CLP Regulation 1272/2008.

Table 2 Classification of ingoing substances

Hazard class	Hazard class and category	Hazard code
Carcinogenicity*	Carc. 1A or 1B	H350
	Carc. 2	H351**
Germ cell mutagenicity*	Muta. 1A or 1B	H340
	Muta. 2	H341
Reproductive toxicity*	Repr. 1A or 1B	H360
	Repr. 2	H361
	Lact.	H362
Respiratory or skin sensitisation***	Resp. Sens. 1, 1A or 1B	H334
	Skin Sens. 1, 1A or 1B	H317
Specific target organ toxicity, repeated exposure	STOT RE 1	H372
Hazardous to the ozone layer	Ozone	H420
Endocrine disruption for human	ED HH 1	EUH380
health****	ED HH 2	EUH381
Endocrine disruption for the	ED ENV 1	EUH430
environment****	ED ENV 2	EUH431
Persistent, Bioaccumulative and Toxic	PBT	EUH440
properties****	vPvB	EUH441
Very Persistent, Very Bioaccumulative properties****		
Persistent, Mobile, and Toxic properties	PMT	EUH450
Very Persistent, Very Mobile properties	vPvM	EUH451

^{*} Including all combinations of stated exposure routes and stated specific effect. For example, H350 also covers classification H350i.

Safety data sheet for all ingoing substances in line with prevailing European legislation (Annex II to REACH Regulation, 1907/2006/EC).

^{**} Complexing agents of the MGDA and GLDA type may contain NTA impurities in the raw material in concentrations of less than 0.2% if the concentration of NTA in the product is below 0.1%.

^{***} Enzymes in liquid form or as solid granulates (including stabilisers and preservatives in enzyme raw materials) may be classified as H334 or H317. However, the exemption does not apply to spray products, and users should be informed that the product contains enzymes and that its handling and use may require special safety measures.

^{****} See also requirement O7 (Excluded substances) for additional requirements for potential or identified endocrine disruptors and PBT/vPvB substances.

- Appendix 1 or equivalent declaration completed and signed.
- Appendix 2 or equivalent declaration completed and signed by all raw material manufacturers/suppliers.
- For products containing enzymes: Copy of label or accompanying product sheet demonstrating that the product is not a spray.
- For products containing enzymes: Copy of label or accompanying product sheet demonstrating that the product contains enzymes and that its handling and use may require special safety measures.

O4 Surfactants

All surfactants must be readily biodegradable according to Test No. 301 A–F, Test No. 306 or Test No. 310 in OECD Guidelines for the Testing of Chemicals or other equivalent test methods evaluated by an independent body and controlled by Nordic Ecolabelling.

All surfactants must be anaerobically biodegradable in accordance with ISO 11734, ECETOC No 28, Test No. 311 in OECD Guidelines for the Testing of Chemicals or equivalent testing methods evaluated by an independent body and controlled by Nordic Ecolabelling.

Reference to the DID list dated 2023 or later versions. For substances not on the DID list, or where data on the DID list is missing, the associated documentation must be submitted. See Appendix 3 for test requirements.

O5 Preservatives

All preservatives in the product must not be bioaccumulative in line with the testing methods in Appendix 3 having a BCF (Bioconcentration Factor) < 500 or log Kow (octanol-water partition coefficient) < 4.

Preservatives are permitted solely for the preservation of products or raw materials and must not be used to impart antibacterial or disinfecting properties.

See also requirement O7 (Excluded substances) for additional requirements for preservatives.

- Appendix 1 or equivalent declaration completed and signed.
- Appendix 2 or equivalent declaration completed and signed by all relevant raw material manufacturers/suppliers.

O6 Phosphorus

The total amount of phosphorus from phosphates, phosphonates and other phosphorus compounds may not exceed 0.50 g P/litre in-use solution.

The calculation must be based on the highest recommended dosing stated on the product label or accompanying product sheet.

Please note that aminopolyphosphonates must not be present in the product according to requirement O7 (Excluded substances).

Be aware of national legislation on phosphorus where the product will be sold/marketed. In Norway, phosphorus is regulated in sections 2-12 in Regulation on Detergents and Cleaning Products.

- Appendix 1 or equivalent declaration completed and signed.
- Appendix 2 or equivalent declaration completed and signed by all raw material manufacturers/suppliers.
- Talculation of the added amount of phosphorus, calculated as elementary phosphorus (P), per litre in-use solution.

O7 Excluded substances

The following substances or substance groups must not be present as ingoing substances in the product.

- Alkylphenols (AP) (e.g. butylated hydroxy anisole (BHA, CAS No. 25013-16-5), alkylphenol ethoxylates (APEO), and other alkylphenol derivates (APD)
- Aminopolyphosphonates
- Aromatic solvents

Solvents are defined as in Commission Directive 1999/13/EC: organic substances with a vapour pressure of at least 0.01 kPa at 20 °C.

- Benzalkonium chloride (CAS No. 8001-54-5, 63449-41-2 and others)
- Bisphenols and bisphenol derivatives, defined as the 34 bisphenols that have been
 identified by ECHA¹ for further EU regulatory risk management because they are
 known or potential endocrine disruptors for the environment or for human health, or
 can be identified as toxic for reproduction.
- Boric acid, borates, and perborates
- Ethylenediamine tetraacetate (EDTA, CAS No. 6381-92-6) and its salts and diethylenetriamine pentaacetate (DTPA, CAS No. 67-43-6) and its salts
- Fragrances
- Isothiazolinones (e.g. methylisothiazolinone (MIT), CAS No. 2682-20-4, metylchloroisothiazolinone (CMIT), CAS No. 26172-55-4, C(M)IT/MIT (3:1), CAS No. 55965-84-9, benzisothiazolinone (BIT), CAS No. 2634-33-5, octylisothiazolinone (OIT), CAS No. 26530-20-1 and dichlorooctylisothiazolinone (DCOIT), CAS No. 64359-81-5)
- · Halogenated organic compounds
- LAS (linear alkylbenzene sulphonates)
- NTA (nitrilotriacetic acid, CAS-no. 139-13-9) and its salts

¹ EC/List No. 201-245-8 (BPA), 201-025-1 (BPB), 401-720-1 (4,4'-Isobutylethylidenediphenol), 216-036-7 (BPAF) and its 8 salts (278-305-5; 425-060-9; 443-330-4; 468-740-0; 469-080-6; 479-100-5; 943-265-6; 947-368-7), 201-250-5 (BPS), 201-240-0 (BPC), 204-279-1 (TBMD), 201-618-5 (6,6'-di-tert-butyl-4,4'-butylidenedi-m-cresol), 242-895-2, 248-607-1, 405-520-5 (D8), 217-121-1 (DAB), 227-033-5 (TMBPA), 210-658-2 (BPF), 411-570-9, 277-962-5 (contains BPS, 500-086-4 (contains BPA), 500-263-6 (contains BPA), 500-607-5 (contains BPA), 701-362-9, 904-653-0 (contains BPA), 908-912-9 (contains BPF), 926-571-4 (contains BPA), 931-252-8 (contains BPA), 941-992-3 (contains BPS), 943-503-9 (contains BPA).

^[1] Assessment of regulatory needs: Bisphenols. ECHA – 16 December 2021: Section 2.1: Bisphenols for which further EU RRM is proposed https://echa.europa.eu/documents/10162/5e60f2fe-12d0-7f6b-5868-f199cfd7f984

Exemption: Complexing agents of the MGDA and GLDA type may contain NTA impurities in the raw material in concentrations of less than 0.2% if the concentration of NTA in the final product is below 0.1%.

- Organic chlorine compounds, hypochlorous acid and hypochlorite
- PBT and vPvB substances in accordance with REACH Annex XIII, including substances under investigation according to the ECHA PBT assessment list https://echa.europa.eu/da/pbt
- Per- and polyfluoroalkyl substances (PFAS)

PFASs are defined as fluorinated substances containing at least one fully fluorinated methyl or methylene carbon atom (without any H/CI/Br/I atom attached to it), i.e., with a few listed exceptions, all chemicals with at least one perfluorinated methyl group ($-CF_3$) or a perfluorinated the methylene group ($-CF_2$) is a PFAS as described in the OECD recommendations.

- Phthalates (i.e., esters of phthalic acid CAS No. 88-99-3)
- Potential or identified endocrine disruptors, according to any of the following EU member state initiative "Endocrine Disruptor Lists" List I, II and III
 - N.B. A substance which is transferred to one of the corresponding sublists called "Substances no longer on list" and no longer appears on any of List I-III, is no longer excluded. The exemption is those substances on sublist II which were evaluated and where concern for endocrine disruption may still remain. Nordic Ecolabelling will evaluate the circumstances case-by-case, based on the background information indicated on sublist II.
- Quaternary ammonium compounds, which are not aerobically or anaerobically biodegradable* such as DTDMAC (CAS No. 61789-80-8), DSDMAC (CAS No. 107-64-2), DHTDMAC (CAS No. 61789-72-8) and DADMAC (CAS No. 7398-69-8).
 - * According to test method 301 (A-F) or 310 in OECD guidelines for testing of chemicals or other equivalent methods evaluated by an independent body and controlled by Nordic Ecolabelling.
- Siloxanes D4, D5, D6 and HMDS
- Substances on the REACH Candidate list of SVHC substances https://www.echa.europa.eu/candidate-list-table
- T Appendix 1 or equivalent declaration completed and signed.
- Appendix 2 or equivalent declaration completed and signed by all raw material manufacturers/suppliers.

O8 Microplastics

Microplastics* must not be present as ingoing substances in the product and must not be added to the product during manufacturing.

Nordic Ecolabelling reserves the right to change the requirement when more guidance from the EU on the restriction of synthetic polymer microparticles in REACH is published.

- * Microplastics are synthetic polymer microparticles as defined in REACH Regulation ((EC) No 1907/2006), Annex XVII, Entry no. 78: Synthetic polymer microparticles: polymers that are solid, and which fulfil both of the following conditions:
 - a) are contained in particles and constitute at least 1% by weight of those particles; or build a continuous surface coating on particles.

- b) at least 1% by weight of the particles referred to in point (a) fulfil either of the following conditions:
- (i) all dimensions of the particles are equal to or less than 5 mm.
- (ii) the length of the particles is equal to or less than 15 mm and their length to diameter ratio is greater than 3.

The following polymers are excluded from this designation:

- a) polymers that are the result of a polymerisation process that has taken place in nature, independently of the process through which they have been extracted, which are not chemically modified substances.
- b) polymers that are biodegradable as proved in accordance with Appendix 15 [to REACH, Regulation (EC) No 1907/2006].
- c) polymers that have a solubility greater than 2 g/L as proved in accordance with Appendix 16 [to REACH, Regulation (EC) No 1907/2006].
- d) polymers that do not contain carbon atoms in their chemical structure.

N.B. The following "Conditions of restriction" paragraphs apply: 1 (concentration limit in mixtures), 2 (definitions), 3 (particle size limits). The remaining points do not apply, e.g. 4 (Paragraph 1 shall not apply to the placing on the market of:), e.g. 4(a) "synthetic polymer microparticles, as substances on their own or in mixtures, for use at industrial sites", 5 (derogations), e.g. 5 (b) "synthetic polymer microparticles the physical properties of which are permanently modified during intended end use in such a way that the polymer no longer falls within the scope of this entry".

- Appendix 1 or equivalent declaration from the manufacturer of the product.
- Appendix 2 or equivalent declaration from the manufacturer/supplier of each raw material.

O9 Nanomaterials

Nanomaterials/-particles* must not be added or be present in the product.

- * Nanomaterials/-particles are defined according to the EU Commission Recommendation on the Definition of Nanomaterial (2022/C 229/01): 'Nanomaterial' means a natural, incidental or manufactured material consisting of solid particles that are present, either on their own or as identifiable constituent particles in aggregates or agglomerates, and where 50 % or more of these particles in the number-based size distribution fulfil at least one of the following conditions:
- (a) one or more external dimensions of the particle are in the size range 1 nm to 100 nm;
- (b) the particle has an elongated shape, such as a rod, fibre or tube, where two external dimensions are smaller than 1 nm and the other dimension is larger than 100 nm;
- (c) the particle has a plate-like shape, where one external dimension is smaller than 1 nm and the other dimensions are larger than 100 nm.
- Appendix 1 or equivalent declaration from the manufacturer of the product.
- Appendix 2 or equivalent declaration from the manufacturer/supplier of each raw material.

4.3 Biodegradability and aquatic toxicity

O10 Long-term environmental effects

The use of ingoing substances which are classified* with any of the hazard codes H_{410} , H_{411} or H_{412} is limited as follows:

 $M*100*C_{H410} + 10*C_{H411} + C_{H412} < 40$ grams / litre in-use solution, where M is the multiplying factor for H_{410} as described in the CLP Regulation (EC) No 1272/2008).

C_{H410} = Concentration of substances with H₄₁₀ in grams / litre in-use solution

 C_{H411} = Concentration of substances with H_{411} in grams / litre in-use solution

 C_{H412} = Concentration of substances with H_{412} in grams / litre in-use solution

The calculation must be based on the highest recommended dosing stated on the product label or accompanying product sheet.

See additional information concerning calculations with UCVB substances in section 5.1 Definition of ingoing substances and impurities.

If information about the substance being hazardous to the environment (in the form of data concerning toxicity and biodegradability, or toxicity and bioaccumulability) is not available, the substance is treated as a worst case, i.e. as environmentally hazardous, H410.

- * Please note that in order to assess the classification, all the available data must have been evaluated, including data in ECHA databases.
- Appendix 1 or equivalent declaration completed and signed.
- Appendix 2 or equivalent declaration completed and signed by all raw material manufacturers/suppliers.
- To Calculation to show that the requirement is fulfilled. Nordic Ecolabelling's calculation sheet for Cleaning agents for use in the food industry can be used. It is available from Nordic Ecolabelling's websites.

O11 Biodegradability

The quantity of organic substances that are aerobically non-biodegradable (aNBO) must not exceed 0.40 g/ litre in-use solution.

The quantity of organic substances that are anaerobically non-biodegradable (anNBO) must not exceed 0.50 g/ litre in-use solution.

The calculation must be based on the highest recommended dosing stated on the product label or accompanying product sheet.

See additional information concerning calculations with UCVB substances in section 5.1 Definition of ingoing substances and impurities.

Please note that all surfactants must be aerobically and anaerobically biodegradable under requirement O4 (Surfactants).

See also the exemption from the requirement of anaerobic biodegradability for substances which are not surfactants in Appendix 3, item 7, Anaerobic biodegradability.

Reference to the DID list, version 2023 or later. For substances not on the DID list, the parameters must be calculated based on the guidance in part B of the DID list, and the related documentation must be submitted.

The Calculation of the product's content of organic substances that are either not aerobically or anaerobically biodegradable. Nordic Ecolabelling's calculation sheet for Cleaning agents for use in the food industry can be used. It is available from Nordic Ecolabelling's websites.

O12 Critical dilution volume (CDV)

The critical dilution volume (CDV) of the product must not exceed 25 000 litres/ in-use solution.

CDV is calculated using the following formula for all substances in the product:

 $CDV_{chronic} = \Sigma CDV_i = \Sigma (dose_i \times DF_i \times 1000 / TF_i chronic),$ where

dose; = the input quantity of the individual substance in g/ litre in-use solution

DF_i = biodegradation factor for substance "i", in accordance with the DID list

TF_i chronic = chronic toxicity factor for substance "i", in accordance with the DID list

If TF_i chronic is lacking, TF_i acute can be used.

The calculation must be based on the highest recommended dosing stated on the product label or accompanying product sheet.

See additional information concerning calculations with UCVB substances in section 5.1 Definition of ingoing substances and impurities.

- Reference to the DID list, version 2023 or later. For substances not on the DID list, the parameters must be calculated based on the guidance in part B of the DID list, and the related documentation must be submitted.
- Talculation of the product's CDV_{chronic}. Nordic Ecolabelling's calculation sheet can be used. It is available from Nordic Ecolabelling's websites.
- Appendix 2 or equivalent declaration completed and signed by all raw material manufacturers/suppliers.

4.4 Performance

O13 Performance

The product's efficacy must be documented through a user test that meets the requirements outlined below:

- The product must have been used by at least three independent users within its
 area of application over a period that reflects the product's usage frequency (i.e., the
 product must have been used repeatedly). More than one test report from the same
 company is accepted if they apply to different applications or test locations.
- The product must be tested at the dosage recommended on the product label or accompanying product sheet.
- All users must rate the product as either sufficiently effective or very effective.
- The user must complete Appendix 4. All appendices must be submitted to Nordic Ecolabelling.
- A test report detailing the user test, including a summary of the results, must be prepared.
- Appendix 4 from all users who have tested the product.

Test report describing the user test, including summary of the results.

4.5 Packaging and user information

O14 User information

The product label or accompanying product sheet must include the information below.

Product type and area of use.

The product's area of use must align with the application for which it was tested in requirement O13 (Performance).

 For products that require dilution before use: Recommended dosage for regular use and typical soiling.

The recommended dosage can be stated in units such as dl, pumps, or caps, for example.

- Description of how the user can avoid coming into contact with the product, for example, by using personal protective equipment.
- T Copy of label and/or product sheet.

O15 Packaging

Packaging up to 20 litres must consist of either PE, PP or PET according to the following requirements.

PE and PP packaging

• The container and closure* must be made of minimum: 99% polyethene (PE) or 95% polypropene (PP).

The remaining % must not be of biodegradable or any other material than PE or PP.

- Colours: Carbon black pigments must not be added to the packaging.
- Labels: Must be made of the same material as of the packaging component they are placed on.

PET packaging

- The container and closure must be made of minimum: 98% polyethylene terephthalate (PET).
- Colours: Transparent and transparent colours without carbon black are allowed.
- Labels: Must be made of PE or PP.
- The label must not cover more than 50% of the packaging surface for sizes ≤ 500 ml and 70% for sizes > 500 ml.
- * Exemption: Membranes, oblates and seals may be made of expanded polyethylene (EPE), expanded polypropylene (EPP), thermoplastic elastomer (TPE) based on styrene-ethylene-butylene-styrene thermoplastic elastomer (SEBS), aluminium, paper and plastic of non-monomaterial (but it must be PE, PP and / or PET).
- Appendix 5 or equivalent declaration completed and signed.

For labels on PET packaging: Calculation of label size compared to the surface of the container. Nordic Ecolabelling's calculation sheet can be used. It is available from Nordic Ecolabelling's websites.

4.6 Licence maintenance

The purpose of the licence maintenance is to ensure that fundamental quality assurance is dealt with appropriately.

O16 Customer complaints

The licensee must guarantee that the quality of the Nordic Swan Ecolabel product or service does not deteriorate during the validity period of the licence. Therefore, the licensee must keep an archive over customer complaints.

Note that the original routine must be in one Nordic language or in English.

Tupload your company's routine for handling and archiving customer complaints.

O17 Traceability

The licensee must be able to trace the Nordic Swan Ecolabel products in the production. A manufactured / sold product should be able to trace back to the occasion (time and date) and the location (specific factory) and, in relevant cases, also which machine / production line where it was produced. In addition, it should be possible to connect the product with the actual raw material used.

You can upload your company's routine or a description of the actions to ensure traceability in your company.

† Please upload your routine or a description.

5 Criteria version history

Nordic Ecolabelling adopted version 3.0 of the criteria for Cleaning agents for use in the food industry 29 October 2025. The criteria are valid until 31 August 2030.

6 How to apply and regulations for the Nordic Ecolabelling

Application and costs

For information about the application process and fees for this product group, please refer to the respective national website. For contact information see the beginning of this document.

The application consists of an application form/web form and documentation showing that the requirements are fulfilled.

Licence validity

The Nordic Swan Ecolabel licence is valid providing the criteria are fulfilled and until the criteria expire. The validity period of the criteria may be prolonged or adjusted, in which case the licence is automatically prolonged, and the licensee informed.

Revised criteria shall be published at least one year prior to the expiry of the present criteria. The licensee is then offered the opportunity to renew their licence.

On-site inspection

In connection with handling of the application, Nordic Ecolabelling normally performs on-site inspection visit/-s to ensure adherence to the requirements. For such an inspection, data used for calculations, original copies of submitted certificates, test records, purchase statistics, and similar documents that support the application must be available for examination.

Queries

Please contact Nordic Ecolabelling if you have any queries or require further information. See contact info in the beginning of this document. Further information and assistance (such as calculation sheets or electronic application help) is available. Visit the relevant national website for further information.

Follow-up inspections

Nordic Ecolabelling may decide to check whether the product fulfils Nordic Ecolabelling requirements during the licence period. This may involve a site visit, random sampling, or similar test.

The licence may be revoked if it is evident that the product does not meet the requirements.

Random samples may also be taken in-store and analysed by an independent laboratory. If the requirements are not met, Nordic Ecolabelling may charge the analysis costs to the licensee.

Regulations for the Nordic Ecolabelling of products

When the Nordic Swan Ecolabel is used on products the licence number shall be included.

More information on graphical guidelines, regulations and fees can be found at www.nordic-swan-ecolabel.org/regulations

Nordic Ecolabelling 070/3

Appendix 1 Declaration from the manufacturer of the cleaning agent for use in the food industry

To be submitted with an application for a Nordic Swan Ecolabel licence of cleaning agents for use in the food industry.

This declaration is based on the best available knowledge at the time of the application, including test results and/or declarations from raw material manufacturers. It is subject to change if new information or scientific findings become available. In such cases, an updated declaration must be submitted.

Product name:
Product type and area of use:

The requirements in the criteria document and accompanying appendices apply to all ingoing substances in the Nordic Swan Ecolabelled product. Impurities are not regarded as ingoing substances and are exempt from the requirements. Ingoing substances and impurities are defined below, unless stated otherwise in the requirements.

- **Ingoing substances:** All substances* in the product including additives (e.g. preservatives and stabilisers) from the raw materials. Substances released from ingoing substances (e.g. biocidal active substances generated by preservatives, such as formaldehyde) are also regarded as ingoing substances.
 - * N.B. the difference from the definition of substances in the REACH Regulation (EC) No 1907/2006. Whereas a REACH substance encompasses a chemical element or compound as well as its stabilising additives and process impurities, a substance here refers to each of the constituents separately. The constituents of a UVCB substance (Unknown or Variable composition, Complex reaction products or of Biological materials) are also regarded separately, and all known constituents shall be regarded.
- Impurities: Trace levels of pollutants, contaminants and residues from production, incl. production of raw materials that remain in the product in concentrations ≤ 100 ppm (≤ 0.0100 w%). For formaldehyde other than as a biocidal active substance and for arylamine, the corresponding concentration is ≤ 50 ppm (≤ 0.0050 w%).

Examples of impurities: Background environmental pollutants from feedstock, as well as contaminants and residues from production such as reactants (incl. monomers), reagents, catalysts, by-products, scavengers, detergents for production equipment, carry-over from other or previous production lines.

• Impurities in the raw materials in concentrations ≥ 10 000 ppm (≥ 1.0000 w%) are always regarded as ingoing substances, regardless of the concentration in the Nordic Swan Ecolabelled product.

Additional information concerning definitions of ingoing substances and impurities

Limit values: The limit for excluded ingoing substances is 0 ppm (unless otherwise stated), while there's a specific defined limit for impurities. The impurity limit applies separately to each individual excluded substance, from each individual raw material. Concentrations of different impurities with the same excluded classification or substance group characteristics shall not be summed up to meet the impurity limit in the labelled product. Also, concentrations of an individual impurity, originating from different raw materials, shall not be summed.

UVCB substances: UVCB substances (Unknown or Variable composition, Complex reaction products or of Biological materials) have a composition of constituents that is not completely known or is variable from time to time. For substances registered under REACH as UVCBs, all constituents that are known must be declared in the Nordic Swan Ecolabel raw material appendix based on the best available knowledge. All constituents are considered individually and are subject to the chemical requirements, including for instance those on excluded substances and excluded classifications.

However, in the requirements concerning environmentally hazardous substances, aNBO, anNBO and CDV, the UVCB substance can be considered as one ingoing substance and placed in a single row in the calculation sheet. If the UVCB substance can be assigned a DID-number, the data on the DID-list must be used.

O2 Classification of the product		
Is the product classified with any of the hazard phrases below? Incl. all classification variants. For example, H350 also covers classification H350i.	Yes	No
If the answer to all the classifications below is No, mark here		
Carc. 1A or 1B H350		
Carc. 2 H351		
Muta. 1A or 1B H340		
Muta. 2 H341		
Repr. 1A or 1B H360		
Repr. 2 H361		
Lact. H362		
Resp. Sens. 1, 1A or 1B H334		

	 1
Skin Sens. 1, 1A or 1B H317	
EUH208: "Contains (name of sensitising substance). May cause an allergic reaction."	
Acute Tox. 1 or 2 H300	
Acute Tox. 1 or 2 H310	
Acute Tox. 1 or 2 H330	
Acute Tox. 3 H301	
Acute Tox. 3 H311	
Acute Tox. 3 H331	
Acute Tox. 4 H302	
Acute Tox. 4 H312	
Acute Tox. 4 H332	
Aquatic Acute 1 H400	
Acute Chronic 1 H410	
Aquatic Chronic 2 H411	
Aquatic Chronic 3 H412	
Aquatic Chronic 4 H413	
Ozone H420	
STOT SE 1 H370	
STOT SE 2 H371	
STOT RE 1 H372	
STOT RE 2 H373	
Asp. Tox. 1 H304	
Flam. Aer. 1 H222	
Flam. Aer. 2 H223	
Flam. Aer. 3 H229	
Flam. Liq. 1 H224	
Flam. Liq. 2 H225	
Flam. Liq. 3 H226	
ED HH 1 EUH380	
ED HH 2 EUH381	
ED ENV 1 EUH430	
ED ENV 2 EUH431	
PBT EUH440	

vPvB EUH441	
PMT EUH450	
vPvM EUH451	

O3 Classification of ingoing substances		
Does the product contain substances classified with any of the hazard phrases below? Incl. all classification variants. For example, H350 also covers classification H350i.	Yes	No
If the answer to all the classifications below is No, mark here		
Carc. 1A or 1B H350		
Carc. 2 H351		
Muta. 1A or 1B H340		
Muta. 2 H341		
Repr. 1A or 1B H360		
Repr. 2 H361		
Lact. H362		
Resp. Sens. 1, 1A or 1B H334		
Skin Sens. 1, 1A or 1B H317		
STOT RE 1 H372		
Ozone H420		
ED HH 1 EUH380		
ED HH 2 EUH381		
ED ENV 1 EUH430		
ED ENV 2 EUH431		
PBT EUH440		
vPvB EUH441		
PMT EUH450		
vPvM EUH451		

O5 Preservatives		
	Yes	No
Does the product contain preservatives?		
If yes, state the BCF (Bioconcentration Factor) and/or log Kow (octanol-water partition coefficient):		

O6 Phosphorus		
	Yes	No
Does the product contain phosphorus?		
If yes, state the content of phosphorus in %:		

O7 Excluded substances		
Does the product contain any of the following substances?	Yes	No
Alkylphenols (AP) (e.g. butylated hydroxy anisole (BHA, CAS No. 25013-16-5), alkylphenol ethoxylates (APEO), and other alkylphenol derivates (APD)		
Aminopolyphosphonates		
Aromatic solvents		
Solvents are defined as in Commission Directive 1999/13/EC: organic substances with a vapour pressure of at least 0.01 kPa at 20 °C.		
Benzalkonium chloride (CAS No. 8001-54-5, 63449-41-2 and others)		
Bisphenols and bisphenol derivatives, defined as the 34 bisphenols that have been identified by ECHA for further EU regulatory risk management because they are known or potential endocrine disruptors for the environment or for human health, or can be identified as toxic for reproduction.		
Boric acid, borates, and perborates		
Ethylenediamine tetraacetate (EDTA, CAS No. 6381-92-6) and its salts and diethylenetriamine pentaacetate (DTPA, CAS No. 67-43-6) and its salts		
Fragrance		
Isothiazolinones (e.g. methylisothiazolinone (MIT), CAS No. 2682-20-4, metylchloroisothiazolinone (CMIT), CAS No. 26172-55-4, C(M)IT/MIT (3:1), CAS No. 55965-84-9, benzisothiazolinone (BIT), CAS No. 2634-33-5, octylisothiazolinone (OIT), CAS No. 26530-20-1 and dichlorooctylisothiazolinone (DCOIT), CAS No. 64359-81-5)		
Halogenated organic compounds		
LAS (linear alkylbenzene sulphonates)		
NTA (nitrilotriacetic acid, CAS-no. 139-13-9) and its salts		
Organic chlorine compounds, hypochlorous acid and hypochlorite	+	
PBT and vPvB substances in accordance with REACH Annex XIII, including substances under investigation according to the ECHA PBT assessment list https://echa.europa.eu/da/pbt		
Per- and polyfluoroalkyl substances (PFAS)		
PFASs are defined as fluorinated substances containing at least one fully fluorinated methyl or methylene carbon atom (without any H / Cl / Br / I atom attached to it), i.e., with a few listed exceptions, all chemicals with at least one perfluorinated methyl group (–CF3) or a perfluorinated the methylene group (–CF2–) is a PFAS as described in the OECD recommendations.		
Phthalates (i.e., esters of phthalic acid CAS No. 88-99-3)		
Potential or identified endocrine disruptors, according to any of the following EU member state initiative "Endocrine Disruptor Lists" List I, II and III		
N.B. A substance which is transferred to one of the corresponding sublists called "Substances no longer on list" and no longer appears on any of List I-III, is no longer excluded. The exemption is those substances on sublist II which were evaluated and where concern for endocrine disruption may still remain. Nordic Ecolabelling will evaluate the circumstances case-by-case, based on the background information indicated on sublist II.		
Quaternary ammonium compounds, which are not aerobically or anaerobically biodegradable* such as DTDMAC (CAS No. 61789-80-8), DSDMAC (CAS No. 107-64-2), DHTDMAC (CAS No. 61789-72-8) and DADMAC (CAS No. 7398-69-8).		

* According to test method 301 (A-F) or 310 in OECD guidelines for testing of chemicals or other equivalent methods evaluated by an independent body and controlled by Nordic Ecolabelling.	
Siloxanes D4, D5, D6 and HMDS	
Substances on the REACH Candidate list of SVHC substances https://www.echa.europa.eu/candidate-list-table	

O8 Microplas	stics		
		Yes	No
Does the produ	nct contain microplastics?		
1907/2006), Ar	re synthetic polymer microparticles as defined in REACH Regulation ((EC) No nnex XVII, Entry no. 78: Synthetic polymer microparticles: polymers that are solid, and n of the following conditions:		
a)	are contained in particles and constitute at least 1% by weight of those particles; or build a continuous surface coating on particles.		
b)	at least 1% by weight of the particles referred to in point (a) fulfil either of the following conditions:		
	(i) all dimensions of the particles are equal to or less than 5 mm. (ii) the length of the particles is equal to or less than 15 mm and their length to diameter ratio is greater than 3.		
The following p	olymers are excluded from this designation:		
a)	polymers that are the result of a polymerisation process that has taken place in nature, independently of the process through which they have been extracted, which are not chemically modified substances.		
b)	polymers that are biodegradable as proved in accordance with Appendix 15 [to REACH, Regulation (EC) No 1907/2006].		
c)	polymers that have a solubility greater than 2 g/L as proved in accordance with Appendix 16 [to REACH, Regulation (EC) No 1907/2006].		
d)	polymers that do not contain carbon atoms in their chemical structure.		
(definitions), 3 apply to the pla own or in mixtu microparticles t	ring "Conditions of restriction" paragraphs apply: 1 (concentration limit in mixtures), 2 (particle size limits). The remaining points do not apply, e.g. 4 (Paragraph 1 shall not ucing on the market of:), e.g. 4(a) "synthetic polymer microparticles, as substances on their res, for use at industrial sites", 5 (derogations), e.g. 5 (b) "synthetic polymer the physical properties of which are permanently modified during intended end use in such polymer no longer falls within the scope of this entry".		

O9 Nanomaterials		
	Yes	No
Does the product contain nanomaterials/-particles?		
Nanomaterials/-particles are defined according to the EU Commission Recommendation on the Definition of Nanomaterial (2022/C 229/01): 'Nanomaterial' means a natural, incidental or manufactured material consisting of solid particles that are present, either on their own or as identifiable constituent particles in aggregates or agglomerates, and where 50 % or more of these particles in the number-based size distribution fulfil at least one of the following conditions:		
(a) one or more external dimensions of the particle are in the size range 1 nm to 100 nm;		
(b) the particle has an elongated shape, such as a rod, fibre or tube, where two external dimensions are smaller than 1 nm and the other dimension is larger than 100 nm;		
(c) the particle has a plate-like shape, where one external dimension is smaller than 1 nm and the other dimensions are larger than 100 nm.		

O10 Long-term environmental effects		
	Yes	No
Does the product contain substances classified as H410, H411 or H412?		

If the answer to any of the above questions is Yes, please provide the following information for each relevant substance: CAS No. (where possible), chemical name, concentration (in ppm, % by weight or mg/kg). Also state whether the substance is present as an ingoing substance or impurity.	

If the product composition changes, a new declaration confirming compliance with the requirements must be submitted to Nordic Ecolabelling.

Place and date	Company name
Responsible person	Signature of responsible person
Telephone	Email

Nordic Ecolabelling 070/3

Appendix 2 Declaration from the manufacturer/supplier of the raw material to the cleaning agent for use in the food industry

To be submitted with an application for a Nordic Swan Ecolabel licence.

This declaration is based on the best available knowledge at the time of the application, including test results. If new information or scientific findings become available, please inform Nordic Ecolabelling and submit an updated declaration. For suppliers: If you do not have knowledge about the complete composition of the raw material/ingredient, you are obliged to obtain this information from the manufacturer.

Manufacturer/supplier:		
Trade name of the raw material:		

The requirements in the criteria document and accompanying appendices apply to all ingoing substances in the Nordic Swan Ecolabelled product. Impurities are not regarded as ingoing substances and are exempt from the requirements. Ingoing substances and impurities are defined below, unless stated otherwise in the requirements.

- **Ingoing substances:** All substances* in the product including additives (e.g. preservatives and stabilisers) from the raw materials. Substances released from ingoing substances (e.g. biocidal active substances generated by preservatives, such as formaldehyde) are also regarded as ingoing substances.
 - * N.B. the difference from the definition of substances in the REACH Regulation (EC) No 1907/2006. Whereas a REACH substance encompasses a chemical element or compound as well as its stabilising additives and process impurities, a substance here refers to each of the constituents separately. The constituents of a UVCB substance (Unknown or Variable composition, Complex reaction products or of Biological materials) are also regarded separately, and all known constituents shall be regarded.
- **Impurities:** Trace levels of pollutants, contaminants and residues from production, incl. production of raw materials that remain in the product in concentrations ≤ 100 ppm (≤ 0.0100 w%). For formaldehyde other than as a biocidal active substance and for arylamine, the corresponding concentration is ≤ 50 ppm (≤ 0.0050 w%).

Examples of impurities: Background environmental pollutants from feedstock, as well as contaminants and residues from production such as reactants (incl. monomers), reagents, catalysts, by-products, scavengers, detergents for production equipment, carry-over from other or previous production lines.

• Impurities in the raw materials in concentrations ≥ 10 000 ppm (≥ 1.0000 w%) are always regarded as ingoing substances, regardless of the concentration in the Nordic Swan Ecolabelled product.

Additional information concerning definitions of ingoing substances and impurities

Limit values: The limit for excluded ingoing substances is 0 ppm (unless otherwise stated), while there's a specific defined limit for impurities. The impurity limit applies separately to each individual excluded substance, from each individual raw material. Concentrations of different impurities with the same excluded classification or substance group characteristics shall not be summed up to meet the impurity limit in the labelled product. Also, concentrations of an individual impurity, originating from different raw materials, shall not be summed.

UVCB substances: UVCB substances (Unknown or Variable composition, Complex reaction products or of Biological materials) have a composition of constituents that is not completely known or is variable from time to time. For substances registered under REACH as UVCBs, all constituents that are known must be declared in the Nordic Swan Ecolabel raw material appendix based on the best available knowledge. All constituents are considered individually and are subject to the chemical requirements, including for instance those on excluded substances and excluded classifications.

However, in the requirements concerning environmentally hazardous substances, aNBO, anNBO and CDV, the UVCB substance can be considered as one ingoing substance and placed in a single row in the calculation sheet. If the UVCB substance can be assigned a DID-number, the data on the DID-list must be used.

Please list the ingoing substances in the raw material in the table below and indicate 'yes' or 'no' as to whether each substance is registered in REACH as a UVCB substance.

If the raw material contains impurities that are listed under excluded substances or has any of the classifications mentioned in this appendix, write the amount in the box at the end of the appendix. The manufacturer of the Nordic Swan Ecolabelled product is responsible for calculating compliance with the requirements of the criteria.

Name of raw material ingredient	Chemical name	CAS No.	Amount in weight %	Function of the raw material/ingredient	Suggested DID No.	UVCB substance?

Please note that:

The DID-list (Detergents Ingredients Database) is available on the Nordic Ecolabelling websites.

DID-list Part A: https://www.svanen.se/49baaa/siteassets/att-svanenmarka/kriterier/did-listan/did_list_2023.pdf

 $DID\mbox{-list part B: https://www.svanen.se/49bfd4/siteassets/att-svanenmarka/kriterier/did\mbox{-listan/didlist}_2023_partb.pdf$

Substances defined as surfactants according to the Detergent Regulation (EC) No 648/2004, must always be reported with the function "surfactant".

The information provided in this declaration will be shared internally with the Nordic Ecolabelling certification personnel for the purpose of evaluating license applications.

classification variants. For example, H350 also covers classification H350i. If the answer to all the classifications below is No, mark here Carc. 1A or 1B H350 Carc. 2 H351 Muta. 1A or 1B H340 Muta. 2 H341 Repr. 1A or 1B H360 Repr. 2 H361 Lact. H362 Resp. Sens. 1, 1A or 1B H334 Skin Sens. 1, 1A or 1B H317 STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH441 PBT EUH440 VPVB EUH441 PMT EUH450	O3 Classification of ingoing substances		
Carc. 1A or 1B H350 Carc. 2 H351 Muta. 1A or 1B H340 Muta. 2 H341 Repr. 1A or 1B H360 Repr. 2 H361 Lact. H362 Resp. Sens. 1, 1A or 1B H334 Skin Sens. 1, 1A or 1B H317 STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 2 EUH431 PBT EUH440 vPVB EUH441 PMT EUH450	Does the raw material contain substances classified with any of the hazard phrases below? Incl. all classification variants. For example, H350 also covers classification H350i.	Yes	No
Carc. 2 H351 Muta. 1A or 1B H340 Muta. 2 H341 Repr. 1A or 1B H360 Repr. 2 H361 Lact. H362 Resp. Sens. 1, 1A or 1B H334 Skin Sens. 1, 1A or 1B H317 STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPVB EUH441 PMT EUH450	If the answer to all the classifications below is No, mark here		
Muta. 1A or 1B H340 Muta. 2 H341 Repr. 1A or 1B H360 Repr. 2 H361 Lact. H362 Resp. Sens. 1, 1A or 1B H334 Skin Sens. 1, 1A or 1B H317 STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPVB EUH441 PMT EUH450	Carc. 1A or 1B H350		
Muta. 2 H341 Repr. 1A or 1B H360 Repr. 2 H361 Lact. H362 Resp. Sens. 1, 1A or 1B H334 Skin Sens. 1, 1A or 1B H317 STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	Carc. 2 H351		
Repr. 1A or 1B H360 Repr. 2 H361 Lact. H362 Resp. Sens. 1, 1A or 1B H334 Skin Sens. 1, 1A or 1B H317 STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	Muta. 1A or 1B H340		
Repr. 2 H361 Lact. H362 Resp. Sens. 1, 1A or 1B H334 Skin Sens. 1, 1A or 1B H317 STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	Muta. 2 H341		
Lact. H362 Resp. Sens. 1, 1A or 1B H334 Skin Sens. 1, 1A or 1B H317 STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	Repr. 1A or 1B H360		
Resp. Sens. 1, 1A or 1B H334 Skin Sens. 1, 1A or 1B H317 STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	Repr. 2 H361		
Skin Sens. 1, 1A or 1B H317 STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	Lact. H362		
STOT RE 1 H372 Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	Resp. Sens. 1, 1A or 1B H334		
Ozone H420 ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	Skin Sens. 1, 1A or 1B H317		
ED HH 1 EUH380 ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	STOT RE 1 H372		
ED HH 2 EUH381 ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	Ozone H420		
ED ENV 1 EUH430 ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	ED HH 1 EUH380		
ED ENV 2 EUH431 PBT EUH440 vPvB EUH441 PMT EUH450	ED HH 2 EUH381		
PBT EUH440 vPvB EUH441 PMT EUH450	ED ENV 1 EUH430		
vPvB EUH441 PMT EUH450	ED ENV 2 EUH431		
PMT EUH450	PBT EUH440		
	vPvB EUH441		
vPvM EUH451	PMT EUH450		
	vPvM EUH451		

O5 Preservatives		
	Yes	No
Does the raw material contain preservatives?		
If yes, state the BCF (Bioconcentration Factor) and/or log Kow (octanol-water partition coefficient):		

O6 Phosphorus		
	Yes	No
Does the raw material contain phosphorus?		
If yes, state the amount (%) of phosphorus?		

Does the raw material contain any of the following substances?	Yes	No
	165	INO
Alkylphenols (AP) (e.g. butylated hydroxy anisole (BHA, CAS No. 25013-16-5), alkylphenol ethoxylates (APEO), and other alkylphenol derivates (APD)		
Aminopolyphosphonates		
Aromatic solvents		
Solvents are defined as in Commission Directive 1999/13/EC: organic substances with a vapour pressure of at least 0.01 kPa at 20 °C.		
Benzalkonium chloride (CAS No. 8001-54-5, 63449-41-2 and others)		
Bisphenols and bisphenol derivatives, defined as the 34 bisphenols that have been identified by ECHA for further EU regulatory risk management because they are known or potential endocrine disruptors for the environment or for human health, or can be identified as toxic for reproduction.		
Boric acid, borates, and perborates		
Ethylenediamine tetraacetate (EDTA, CAS No. 6381-92-6) and its salts and diethylenetriamine pentaacetate (DTPA, CAS No. 67-43-6) and its salts		
Fragrance		
Isothiazolinones (e.g. methylisothiazolinone (MIT), CAS No. 2682-20-4, metylchloroisothiazolinone (CMIT), CAS No. 26172-55-4, C(M)IT/MIT (3:1), CAS No. 55965-84-9, benzisothiazolinone (BIT), CAS No. 2634-33-5, octylisothiazolinone (OIT), CAS No. 26530-20-1 and dichlorooctylisothiazolinone (DCOIT), CAS No. 64359-81-5)		
Halogenated organic compounds		
LAS (linear alkylbenzene sulphonates)		
NTA (nitrilotriacetic acid, CAS-no. 139-13-9) and its salts		
Organic chlorine compounds, hypochlorous acid and hypochlorite		
PBT and vPvB substances in accordance with REACH Annex XIII, including substances under investigation according to the ECHA PBT assessment list https://echa.europa.eu/da/pbt		
Per- and polyfluoroalkyl substances (PFAS)		
PFASs are defined as fluorinated substances containing at least one fully fluorinated methyl or methylene carbon atom (without any H / Cl / Br / I atom attached to it), i.e., with a few listed exceptions, all chemicals with at least one perfluorinated methyl group (–CF3) or a perfluorinated the methylene group (–CF2–) is a PFAS as described in the OECD recommendations.		
Phthalates (i.e., esters of phthalic acid CAS No. 88-99-3)		
Potential or identified endocrine disruptors, according to any of the following EU member state initiative "Endocrine Disruptor Lists" List I, II and III		
Exemption: MEK (Methyl ethyl ketone, CAS No. 78-93-3).	1	
N.B. A substance which is transferred to one of the corresponding sublists called "Substances no longer on list" and no longer appears on any of List I-III, is no longer excluded. The exemption is those substances on sublist II which were evaluated and where concern for endocrine disruption may still remain. Nordic Ecolabelling will evaluate the circumstances case-by-case, based on the background information indicated on sublist II.		

Quaternary ammonium compounds, which are not aerobically or anaerobically biodegradable* such as DTDMAC (CAS No. 61789-80-8), DSDMAC (CAS No. 107-64-2), DHTDMAC (CAS No. 61789-72-8) and DADMAC (CAS No. 7398-69-8).	
* According to test method 301 (A-F) or 310 in OECD guidelines for testing of chemicals or other equivalent methods evaluated by an independent body and controlled by Nordic Ecolabelling	
Siloxanes D4, D5, D6 and HMDS	
Substances on the REACH Candidate list of SVHC substances https://www.echa.europa.eu/candidate-list-table	

O8 Micropla	stics		
		Yes	No
Does the raw n	naterial contain microplastics?		
Microplastics a	re synthetic polymer microparticles as defined in REACH Regulation ((EC) No		
, .	nnex XVII, Entry no. 78: Synthetic polymer microparticles: polymers that are solid, and no fthe following conditions:		
a)	are contained in particles and constitute at least 1% by weight of those particles; or build a continuous surface coating on particles.		
b)	at least 1% by weight of the particles referred to in point (a) fulfil either of the following conditions:		
	(i) all dimensions of the particles are equal to or less than 5 mm. (ii) the length of the particles is equal to or less than 15 mm and their length to diameter ratio is greater than 3.		
The following p	olymers are excluded from this designation:		
а)	polymers that are the result of a polymerisation process that has taken place in nature, independently of the process through which they have been extracted, which are not chemically modified substances.		
b)	polymers that are biodegradable as proved in accordance with Appendix 15 [to REACH, Regulation (EC) No 1907/2006].		
c)	polymers that have a solubility greater than 2 g/L as proved in accordance with Appendix 16 [to REACH, Regulation (EC) No 1907/2006].		
d)	polymers that do not contain carbon atoms in their chemical structure.		
(definitions), 3 apply to the pla own or in mixtu microparticles	ving "Conditions of restriction" paragraphs apply: 1 (concentration limit in mixtures), 2 (particle size limits). The remaining points do not apply, e.g. 4 (Paragraph 1 shall not acing on the market of:), e.g. 4(a) "synthetic polymer microparticles, as substances on their ures, for use at industrial sites", 5 (derogations), e.g. 5 (b) "synthetic polymer the physical properties of which are permanently modified during intended end use in such polymer no longer falls within the scope of this entry".		

O9 Nanomaterials		
	Yes	No
Does the raw material contain nanomaterials/-particles?		
Nanomaterials/-particles are defined according to the EU Commission Recommendation on the Definition of Nanomaterial (2022/C 229/01): 'Nanomaterial' means a natural, incidental or manufactured material consisting of solid particles that are present, either on their own or as identifiable constituent particles in aggregates or agglomerates, and where 50 % or more of these particles in the number-based size distribution fulfil at least one of the following conditions:		
(a) one or more external dimensions of the particle are in the size range 1 nm to 100 nm;		
(b) the particle has an elongated shape, such as a rod, fibre or tube, where two external dimensions are smaller than 1 nm and the other dimension is larger than 100 nm;		
(c) the particle has a plate-like shape, where one external dimension is smaller than 1 nm and the other dimensions are larger than 100 nm.		

O10 Long-term environmental effects		
	Yes	No
Does the raw material contain substances classified as H410, H411 or H412?		

Yes, please provide the following	e questions regarding ingoing substances or impurities is g information for each relevant substance: CAS No. (where entration (in ppm, % by weight or mg/kg). Also state whether ngoing substance or impurity.
If the raw material composition requirements must be submitte	changes, a new declaration confirming compliance with the I to Nordic Ecolabelling.
Place and date	Company name
Responsible person	Signature of responsible person
Telephone	Email

Appendix 3 Analysis and test laboratories

1A Requirements on the analysis laboratory for ecotoxic effects

The analysis laboratory must be competent, impartial and shall fulfil the general requirements of standard EN ISO 17025 or have official GLP status.

1B Requirements on the analysis laboratory for performance

The analysis laboratory used shall fulfil the general requirements of standard EN ISO 17025 or have official GLP status.

The applicant's own laboratory, and external testing institutes that do not meet EN ISO 17025 or do not have official GLP status, may be approved to carry out performance tests. In this case, the following conditions must be met:

- The organisation must be ISO 9001 certified or certified according to the International Features Standards (IFS) standard for Household and Personal Care.
- The test laboratory must be covered by the certification, and the performance test must be included in the quality management system.
- Nordic Ecolabelling is to be given access to all the raw data from the performance test.

The applicant's own laboratory may be approved to carry out performance tests even if the test laboratory and the performance test are not covered by ISO 9001 or IFS standard for Household and Personal Care certification. The following conditions must be met:

- The organisation must have a quality assurance system and an ISO 9001 or IFS standard for Household and Personal Care certification. The laboratory and the performance test do not have to be within the certification, but it needs to be described in that system. Nordic Ecolabelling is to be given access to all the raw data from the performance test.
- The laboratory must document that the test method used is suitable for differentiating between different products, and that the results achieved are reproducible.
- It must be possible for Nordic Ecolabelling to come and observe the performance of a test.

2. Approved test methods

International test methods (OECD Guidelines for Testing of Chemicals, ISBN 92-64-1222144) or equivalent methods must be used for documentation. If equivalent methods are used, these must be assessed by an independent body and approved by Nordic Ecolabelling to ensure that the results are equivalent. The relevant test methods are stated in the below sections. Calculations from data models (such as BIOWIN) are accepted, if they are assessed by an independent body, but if the results of the model calculations are close to the threshold values or if Nordic Ecolabelling has contradictory data, more certain information may be required.

3. Aquatic toxicity

For acute aquatic toxicity, test methods no. 201, 202, 203, and 212 in the OECD Guideline are used. For chronic aquatic toxicity test methods no. 210, 211, 215 and 229 in the OECD Guideline are used. OECD 201 can be used as chronic test if chronic endpoints are chosen.

OECD test guideline no. 249 (acute toxicity – fish) can be used as an alternative to OECD test guideline no. 203, but only if toxicity data for crustaceans and algae is also available.

4. Bioaccumulation

Unless otherwise proven, a substance is considered bioaccumulating if tested for bioaccumulation on fish according to method OECD 305 A-E or OECD 321 and its bioconcentration factor (BCF) is >500. If no BCF value has been determined, a substance is considered bioaccumulating if its logKow value \geq 4.0 according to method 107, 117 or 123 in the OECD Guidelines for the Testing of Chemicals or equivalent method. If the maximum measured BCF \leq 500, the substance is not considered bioaccumulating even if logKow \geq 4.0.

OECD test method 107 cannot be applied to surfactants which have both fat and water-soluble properties. Based on what is known today, for such substances it must be demonstrated with a high degree of certainty that they and their degradation products do not pose any risk to aquatic organisms over a longer time perspective.

5. Aerobic biodegradability

For aerobic biodegradability test method no. 301 (A to F), 306 or 310 in the OECD Guidelines are used.

6. Potential aerobic biodegradability

For potential (inherently) biodegradability test method no. 302 (A to C) in the OECD Guidelines are used.

7. Anaerobic biodegradability

For anaerobic degradability test method no. 311 in the OECD Guidelines, ISO 11734, or ECOTOC no. 28 (June 1988) are used.

Substances that are not surfactants and which are not included in the DID-list or for which data is missing on DID-list list may be exempt from the requirements on anaerobic degradability if they fulfil all the following requirements:

- Not toxic to aquatic organisms (NOEC/ECx > 0.1 mg/l) or E/LC50 > 10 mg/l)
- Readily aerobically biodegradable
- Have low adsorption (A < 25%) or high desorption (D > 25%) or are not bioaccumulating

Testing for adsorption/desorption can be carried out under OECD guidelines 106 or under ISO 18749" Water quality - Adsorption of substances on activated sludge - Batch test using specific analytical methods".

8. DID-list

The DID-list, Detergent Ingredient Database has been developed to facilitate the ecolabel application process and is a tool to rank chemicals and thus make it easier for licence holders and producers to choose less environmentally harmful chemicals in their products. The list contains information on toxicity and degradability of several substances that are used in chemical products.

The substances on the DID-list cannot be seen as an overview of substances that are contained in ecolabelled products, and the DID-list cannot be used to document the toxicity of the individual substances in connection with the classification rules. Here, information from safety data sheets, literature or the raw materials producer must be used.

The DID-list can be obtained from the ecolabelling organisation or the website of the respective country. If a substance is not included on the DID-list, or biodegradability data is missing, the methods described in part B of the DID-list must be used. For these criteria, the DID-list dated 2023 or later versions apply.

Nordic Ecolabelling 070/3

Appendix 4 User test form

This appendix must be filled in by the user.

Information about the product

roduct name:	
lanufacturer:	
roduct type and area of use:	

Information about the test

The product must be tested within its area of application over a period that reflects the product's usage frequency (i.e., the product must have been used repeatedly).

The product must be tested at the dosage recommended on the product label or accompanying product sheet.

Dosage (g/litre in-use- solution)			
Is the product tested at the dosage recommended on the product label or accompanying product sheet?	Yes	No	
Test period	Start date:		
	End date:		
How many times has the product been tested in the stated test period?			
In what types of enterprises was the product tested (e.g., bakeries, the food industry, large-scale kitchens)?			

Performance of the product

The	performance	of the produc	ct must be	visually	assessed	upon o	completion	of the	defined
test	period. Its pe	rformance is	considered	d to be:					

Not effective / not satisfactory	
Sufficiently effective / sufficiently satisfactory	
Very effective / very satisfactory	
Other comments to the assessment of	the product:
Information about the site of testing	performance
Place and date	Company name
Responsible person	Signature of responsible person
Telephone	Email

Nordic Ecolabelling 070/3

Appendix 5 Packaging

Producer/distributor:

To be used in conjunction with an application for a licence for the Nordic Ecolabelling of cleaning agents for use in the food industry.

This declaration is based on the knowledge we have at the time of the application, based on tests and/or declarations from raw material manufacturers, with reservations for new advances and new knowledge. Should such new knowledge arise, the undersigned is obliged to submit an updated declaration to Nordic Ecolabelling.

Part of the packaging (container, closure, label):		
Packaging material (type of plastic, cardboard etc.) List all materials included in the packaging component and the percentage of each material:		
O15 Packaging: Container		
	Yes	No
Does the container consist of PE (polyethene)?		
If yes, how many % ?%		
Does the remaining % consist of biodegradable material or other material than PE or PP?		
Has carbon black been added to the component?		
Does the container consist of PP (polypropylene)?		
If yes, how many % ?%		
Does the remaining % consist of biodegradable material or other material than PE or PP?		
Has carbon black been added to the component?		
Does the container consist of PET (polyethylene terephthalate)?		
If yes, how many % ?%		
Is the component transparent or coloured transparent?		
If yes, has carbon black been added to the component?		
O15 Packaging: Closure		
	Yes	No
Does the closure consist of PE (polyethene)?		
If yes, how many % ?%		
Does the remaining % consist of biodegradable material or other material than PE or PP?		
Has carbon black been added to the component?		

Responsible person

Telephone

Does the closure consist of PP (polypropylene)?				
If yes, how many % ?%				
Does the remaining % consist of biodegradable material or	r other material than PE or PP?			
Has carbon black been added to the component?				
Does the closure consist of PET (polyethylene terepht	halate)?			
If yes, how many % ?%				
Is the component transparent or coloured transparent?				
If yes, has carbon black been added to the component?				
O15 Packaging: Label				
Please specify which material the label consist of (PE (poly	yethene), PP (polypropene) or other material):			
Place and date	Company name			

Email

Signature of responsible person